

Public Health Reference Lab

Public Health Reference Lab, Peshawar, Khyber Medical University, Phase-V, Hayatabad, Peshawar , Contact: 0919217838

 MR #:
 205-200717-20
 Visit No:
 205-170720-19

 Ref-No:
 EI-17
 Booking:
 Jul 17, 2020

 Patient Name:
 Mr. Arshad Khan
 CNIC:
 1730111453821

Age | Gender: 35 Y | Male

Ref.Consultant: Dr. Masood | DHO Peshawar

Provisional Reports

Molecular Biology | Real-Time PCR for Corona Virus (SARS-CoV-2)

Result: Detected

Booking: Jul 17, 00:58 **Result Processed:** Jul 17, 22:55 **Verified:** Jul 17, 23:01

Method:

RNA was extracted using Hero32 RNA extraction system with Ascend Magnetic Bead extraction kit. RNA was amplified using a one-step RT-PCR protocol with Sansure CoViD-19 PCR amplification kit on ABI7500 real-time PCR machine. Blank extraction controls were used to assess contamination and negative and positive controls were used to determine the reaction efficiency. Quality control of the kit has been assessed both internationally and locally.

Page 1/1

Report has been electronically verified, pathologist signatures not required.

Dr. Yasar	Dr. Asif Ali	Dr. Jawad	Dr. Hafsah	Dr. Sami	Dr. Walayat	Dr. Mohsin	Dr. Momin	Dr.	Dr. Irshad	Dr. Ishaq	Dr.
Mehmood	MBBS . PGDIP	Ahmed	Muhammad Siraj		Shah	Shah	Khan	Ihtesham	Khattak	Khan	Matiullah
Yousafzai			Ph.D. , M.Phil	M.Phil , Ph.D.	M.Phil , Ph.D.	MSc , M Phil ,	M Phil , Ph.D.	Khan	Ph.D.	MS , Ph.D.	Khattak
MBBS , PGDII	P (Pathology)	Ph.D	, DPH	, Post-Doc	•	Ph.D.	•	MBBS , Ph.D.	Consultant	Consultant	M.Phil , Ph.D.
, PhD (Haem)	Pathologist	Microbiology	Clinical	Consultant	Consultant	Consultant	Consultant	Consultant			
Consultant		Microbiologist	Scientist (Consultant
Haematologis	t		Bio-safety								
			Office BSO)								