

Adeel

S/S/21

SEHAR MEDICAL CENTRE

Dr. Sheer Shahzad

MBBS., RMP. (Reg. 66982-S)
General Physician

- 102F

- B.P 100/70

R.

T.W. Zetso 2ml
per

Z. Saph...

Z. P... 272

NOT VALID FOR COURT

ij - Titern. 2gm IV. 1200 - 274

ij - ... 1V Start / SOS.


Dr. Sheer Shehzaad
(M.B.B.S R.M.P) General Physician

Near Summit Bank, Sector 5-G, Saeedabad
Balda Town Karachi
Saeedabad, Balda Town, Karachi.

Adeel.

5-5-21.

SEHAR MEDICAL CENTRE

Dr. Seher Shahzad

MBBS, RMP. (Reg. 66982-S)
General Physician

R.

To Whom It May Concern:-

We have a pt name. Adeel.

s/o Shoukat Age 30 years come in.

OPD & clw High grade fever

- Body aches - Nausea. Suspected Enteric

Fever. Lab AD. Treatment

given. Advise Bed Rest At least

one week.

Date. 5-5-21 — 7-5-21.

Dr. Seher Shahzad

(M.B.B.S., R.M.P.) General Physician

Near Summit Bank Sector 5-G, Saeedabad

Near Summit Bank, Sector 5-G, Saeedabad, Baldia Town, Karachi

Contact: 0345-2555555

YASMIN CLINIC & LABORATORY

NAI ABADI BALDIA TWON LAST X-3 MAIN ROAD KARACHI PH 2811816

PL's NAME :- MR ADEEL
LAB NO :- 740

AGE :-
SEX :- MALE
DATE:- 05-MAY-2021.

TYPHIDOT BASE ON ICT

TEST NAME RESULTS

SERUM IgM POSITIVE
SERUM IgG NEGATIVE

CLINICAL INTERPRETATIONS OF POSSIBLE RESULTS.

RESULTS	CLINICAL INTERPRETATIONS.
IgM Positive	Acute Typhoid Fever
igG Positive	Implication for the presence of IgG antibodies include relapse or infection or previous infection (in which case current fever may not be due to typhoid). It is important that interpretation be made together with the clinical symptoms in order to diagnose if the patient is currently having typhoid.
IgM/IgG Positive	Acute typhoid fever in the middle stage of infection.
IgM/IgG Negative	Probably not typhoid fever.

If clinical symptoms suggest typhoid fever, treat accordingly.
Blood Culture, if positive a few days later may support the clinical decision.

REMARKS:-

Report has been generated by Computer and does not require signature.

PATHOLOGIST
PROF. DR M SAMEER QURESHI
MBBS (DOW) PHD (UK)