

**DISCHARGE CARD**  
**DOW UNIVERSITY OF HEALTH SCIENCE**

Department of Orthopedic

Unit - II

CIVIL HOSPITAL KARACHI

**INCHARGE:**

**DR. BADARUDDIN SAHITO**

**FCPS**

**ASSOCIATE PROFESSOR**

C.R. No.: 012021 - 0127 - 02039

ML No.: ④

Not Valid for Medico Legal Purpose

Name: RIAZ HUSSAIN

S/o. D/o. W/o. IMDAD HUSSAIN

Age: 35 Bed No: \_\_\_\_\_

Address: Larkana

Diagnosis: Open talus + Segmental T/F#

Date of Admission: 28/1/21 Date of Discharge: 13/Feb/21

Phone Number: \_\_\_\_\_

Biopsy (If any): \_\_\_\_\_

Culture (If any): \_\_\_\_\_

## CASE SUMMARY

35 yr old male NKCM

hr of Bikeslip.

e/o (L) feet + ankle pain.

Prog shows (L) Open talus +  
Segmental T/F#.

1st Base of MT.

3rd head of MT.

Natural of Operation: ILIZIROV

Date of Operation: 10/2/21

Surgeon: DR Saughat

Operation Procedure: AAA measure taken, patient

changed position, ilizar frame created.

fracture reduced. Frame applied. Medial

malleolus fixed with olive wire. Haffnys applied  
at foot. ASD done.

Treatment: ~~Tab Argonin 1-0-1~~

~~Tab Elast Gony 1-0-1~~

~~Tab Jonyflex - P 0+0-1~~

~~Tab Starcox 80. 1-0-0~~

~~Cef ~~Tab~~ Delyna 1-0-0~~

~~Tab Caldree 1-0-0.~~

Followup after 2 weeks  
in OPD #3 on Tue/Thurs.

Followup:

منگل اور جمعرات

Tuesday / Wednesday  
(09:00am) OPD No. 3

### ہدایات:

- 1- درد کی دوا ضرور کھائیں جب تک درد رہے، اُس کے بعد ناکھائیں۔
- 2- درد کی دوائی کھانے کے بعد کھائیں، اگر درد زیادہ ہو تو ہسپتال سے رجوع کریں۔
- 3- زخم کا خیال رکھیں، زخم پٹی لگا کے رکھیں، زخم کو سوکھا رکھیں۔
- 4- پٹی کو تبدیل کرنے کے لیے ڈاکٹر کی ہدایات پہ عمل کریں۔
- 5- پچھلی پٹی کی تبدیلی کے بعد نہا سکتے ہیں، اگر زخم خشک ہو۔
- 6- اگر سوجن زیادہ ہو، رنگ تبدیل ہو، یا زخم سے پانی آئے یا سن ہو آپریشن والی ٹانگ یا بازو میں چوٹ لگے تو فوراً ایمر جنسی میں دکھائیں۔
- 7- سوجن وقت سے کم ہو جاتی ہے۔
- 8- اپنی ایڑھی اور ہاتھ کو آہستہ آہستہ چلائیں۔
- 9- آپریشن کے پہلے اور دوسرے ہفتے میں ڈاکٹر کو ضرور کھائیں۔
- 10- اگر سینے میں درد ہو سانس میں تکلیف ہو یا گھبراہٹ ہو تو فوراً ایمر جنسی میں دکھائیں۔
- 11- چلنے کے لئے لاٹھی یا واکر استعمال کریں۔
- 12- ڈاکٹر کے ہدایت کے مطابق وزن ڈال کر چلیں۔
- 13- اگر دوائی میں غنودگی ہے تو گاڑی نہ چلائیں۔
- 14- آپریشن والی ٹانگ یا بازو کو اٹھا کے رکھیں مرض میں کمی ہوگی۔

Sign. of Doctor