
MR #:	205-200820-179	Visit No:	205-200820-208
Ref-No:	YSN 547	Order No:	20520110784
Patient Name:	Mr. Fahad Zaman	Booking:	Aug 20, 2020
Age Gender:	27 Y Male	CNIC:	1730195398661
Ref.Consultant:	Dr Adnan DHO PESH		

Molecular Biology | Real-Time PCR for Corona Virus (SARS-CoV-2)

Result

Detected

Booking: Aug 20, 14:36 **Result Processed:** Aug 21, 20:46 **Verified:** Aug 21, 21:37

Method:

RNA was extracted using Hero32 RNA extraction system with Ascend Magnetic Bead extraction kit. RNA was amplified using a one-step RT-PCR protocol with Sansure CoViD-19 PCR amplification kit on ABI7500 real-time PCR machine. Blank extraction controls were used to assess contamination and negative and positive controls were used to determine the reaction efficiency. Quality control of the kit has been assessed both internationally and locally.

Report has been electronically verified, pathologist signatures not required.

Dr. Yasar Mehmood Yousafzai	Dr. Asif Ali Ahmed	Dr. Jawad Ahmed	Dr. Hafsa Muhammad	Dr. Sami Siraj	Dr. Walayat Shah	Dr. Mohsin Shah	Dr. Momin Khan	Dr. Ihtesham Khan	Dr. Irshad Khattak	Dr. Ishaq Khan	Dr. Matiullah Khattak
MBBS , PGDIP , MHPE , PhD	MBBS , MSc , PhD	MBBS , MSc , PhD	Ph.D. , M.Phil , DPH	M.Phil , Ph.D. , Post-Doc	M.Phil , Ph.D. , Consultant	MSc , M Phil , Ph.D. , Consultant	M Phil , Ph.D. , Consultant	MBBS , Ph.D. , Consultant	Ph.D. , Consultant	MS , Ph.D. , Consultant	M.Phil , Ph.D. , Consultant
MBBS , PGDIP , PhD (Haem) , Consultant Haematologist	Pathologist	Microbiology Microbiologist	Clinical Microbiologist	Scientist (Bio-safety Office BSO)							